

BILGE PUMP SYSTEMS: ACCESSORIES

Made By albin pump marine since 1928

BIGBLUEOCEANMARINE.COM



Bilge Float Switch 12/24/30V

The 12/24/30V bilge float switch activates your bilgepump automatically when water exceeds the acceptable level and deactivate when water has been removed. For a fully automatic removal of your bilge water connect a switch to your electrical bilge pump. Safe removal of bilgewater when nobody is onboard, approved for 500 000 cycles. 14A fuse.

SKU: 01-66-025 Ca	tegory: Accessories
Weight (approx)	0.12 kg / 0.25 lbs
Туре	Electric Switch
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Digital Bilge Switch 12/24V

The 12/24V digital bilge switch activates your bilgepump automatically when water exceeds the acceptable level and deactivate when water has been removed. For a fully automatic removal of your bilge water connect a switch to your electrical bilge pump. Field sensing digital technology, fully sealed without any moving parts. Will not corrode and are not affected by oil or debris.

SKU: 01-66-037 Ca	tegory: Accessories
Weight (approx)	0.05 kg / 0.12 lbs
Туре	Electronic Switch
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Digital Bilge Switch 12/24V-bulk

The 12/24V digital bilge switch activates your bilgepump automatically when water exceeds the acceptable level and deactivate when water has been removed. For a fully automatic removal of your bilge water connect a switch to your electrical bilge pump. Field sensing digital technology, fully sealed without any moving parts. Will not corrode and are not affected by oil or debris.

SKU: 01-39-039 Category: Accessories

Weight (approx)	0.05 kg / 0.12 lbs (per unit)
Туре	Electronic Switch
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Digital Bilge High Water Alarm Kit 12V

The 12V digital bilge sensor detects when there is water in the bilge or a tank. Field sensing digital technology, fully sealed without any moving parts. Will not corrode and are not affected by oil or debris. 12V display panel, 1 LED and piezo alarm integrated, including 152mm (6") wire leads, fuse and fuse holder.

SKU: 01-69-041 Ca	tegory: Accessories
Weight (approx)	0.05 kg / 0.12 lbs
Туре	Electronic Sensor
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Digital Bilge High Water Alarm Kit 24V

The 24V digital bilge sensor detects when there is water in the bilge or a tank. Field sensing digital technology, fully sealed without any moving parts. Will not corrode and are not affected by oil or debris. 24V display panel, 1 LED and piezo alarm integrated, including 152mm (6") wire leads, fuse and fuse holder.

SKU: 01-69-042 (Category: Accessories
Weight (approx)	0.12 kg / 0.25 lbs
Туре	Electronic Sensor
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Digital Bilge High Water Alarm Kit 12V-bulk

The 12V digital bilge sensor detects when there is water in the bilge or a tank. Field sensing digital technology, fully sealed without any moving parts. Will not corrode and are not affected by oil or debris. 12V display panel, 1 LED and piezo alarm integrated, including 152mm (6") wire leads, fuse and fuse holder.

SKU: 01-39-043 C	ategory: Accessories
Weight (approx)	0.05 kg / 0.12 lbs (per unit)
Туре	Electronic Sensor
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Digital Bilge High Water Alarm Kit 24V-bulk

The 24V digital bilge sensor detects when there is water in the bilge or a tank. Field sensing digital technology, fully sealed without any moving parts. Will not corrode and are not affected by oil or debris. 24V display panel, 1 LED and piezo alarm integrated, including 152mm (6") wire leads, fuse and fuse holder.

SKU: 01-39-044	Category: Accessories
Weight (approx)	0.12 kg / 0.25 lbs (per unit)
Туре	Electronic Sensor
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Bilge Pump Panel 3-way 12V

Three- positions switch bilge pump control panel 12V. Manual, automatic or off. The automatic feature operates in combination with automatic bilge level switches or automatic bilge pumps. Integrated fuse holder, fuse and operating light.

SKU: 01-66-027	Category: Accessories
Туре	Control Panel
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Bilge Pump Panel 3-way 24V

Three- positions switch bilge pump control panel 24V. Manual, automatic or off. The automatic feature operates in combination with automatic bilge level switches or automatic bilge pumps. Integrated fuse holder, fuse and operating light.

SKU: 01-66-028	Category: Accessories
Туре	Control Panel
Certification	CE marked 94/25/ECC, ISO8846 Small Craft, Electromagnetic compatibility 89/336/EEC, EN51014 1993/radio disturbance





Your Source For Albin Pump Marine Products & More!

CONTACT

SALES DEPARTMENT sales@bigblueoceanmarine.com T: 1 (250) 713-1018

BIGBLUEOCEANMARINE.COM